

DIAGNOSIS. BETTER OUTCOMES. EARLY DETECTION. RAPID
EARLY DETECTION. RAPID DIAGNOSIS. BETTER OUTCOMES.
EARLY DETECTION. RAPID DIAGNOSIS. BETTER OUTCOMES. BE
RLY DETECTION. RAPID DIAGNOSIS. BETTER OUTCOMES.
RLY DETECTION. RAPID DIAGNOSIS. BET



lifeSign

PRODUCT CATALOG

EARLY DETECTION. RAPID DIAGNOSIS. BETTER OUTCOMES.
LY DETECTION. RAPID DIAGNOSIS. BETTER OUTCOMES. EARLY DETECTION. RAPID DIAGNOSIS.
TER OUTCOMES. EARLY DETECTION. RAPID DIAGNOSIS. BETTER
DIAGNOSIS. BETTER OUTCOMES. EARLY DETECTION. RAPID DIAGNOSIS. BETTER OUTCOMES.
ARLY DETECTION. RAPID DIAGNOSIS. BETTER OUTCO
O DIAGNOSIS. BETTER OUTCOMES.
CTION. RAPID DIAGNOSIS. BETTER OUT
TECTION. RAPID DIAGNOSIS. BETTER OUTCOMES. EARLY DETECTION. RA
TER OUTCOMES. EARLY DETECTION. RAPID DIAGNOSIS. BETTER
CTION. RAPID DIAGNOSIS. BETTER OUTCOMES.
ARLY DETECTION. RAPID DIAGNOSIS. BETTER OUTCO
O DIAGNOSIS. BETTER OUTCOMES.
CTION. RAPID DIAGNOSIS. BETTER OUT

RAPID DIAGNOSIS • EARLY DETECTION • BETTER OUTCOMES

CTION. RAPID DIAGNOSIS. BETTER OUT
EARLY DETECTION. RAPID DIAGNOSIS. BETTER OUTCOMES.
EARLY DETECTION. RAPID DIAGNOSIS. BETTER OUTCOMES.
BETTER OUTCOMES. EARLY DETECTION. RAPID DIAGNOSIS. BETT
EARLY DETECTION. RAPID DIAGNOSIS. BETTER OUTCOMES.
EARLY DETECTION. RAPID DIAGNOSIS. BETTE

LifeSign is a medical diagnostics company delivering high quality rapid point of care testing products to the healthcare industry.


Lifesign's extensive line of innovative products is used by clinicians worldwide to aid in the detection of medical conditions which include Infectious Disease, Women's Health, Drugs of Abuse and Cardiac Markers.

Our products are developed and manufactured in the USA under ISO, FDA, cGMP, and CE mark guidelines. Lifesign's team of sales, technical and customer service professionals deliver the highest quality of service and support to our customers.

INFECTIOUS DISEASE

Status™ COVID-19/Flu A&B

A rapid immunoassay for the simultaneous direct detection and differential diagnosis of SAR-CoV-2, Influenza Type A and Type B antigens from anterior nasal and nasopharyngeal swab specimens.




- **CLIA Waived** for use with Anterior Nasal and Nasopharyngeal swab specimens
- COVID-19 -Anterior nasal - PPA 97.4% , NPA 100%
Nasopharyngeal -PPA 95.5%, NPA 99.7%
- FLU A - Anterior nasal - PPA 91.5%, NPA 99.5%.
Nasopharyngeal - PPA 94.1%, NPA 99.4%.
- FLU B - Anterior nasal - PPA 90.2%, NPA 99.8%.
Nasopharyngeal - PPA 92.7%, NPA 100%
- 28 month shelf-life from date of manufacture
- Visually read in 15 minutes

ORDERING INFORMATION

PRODUCT	#OF TESTS	ITEM#
Status™ Covid-19/Flu A&B	25	33225

Status™ Flu A & B

For the qualitative detection of Influenza Type A and Type B antigens directly from nasal swab, nasopharyngeal swab and nasal aspirate/wash specimens.



- **CLIA Waived**
- Flu A – Sensitivity of 91.4%, & Specificity of 95.7%
- Flu B – Sensitivity of 87.6%, & Specificity of 95.9%
- Flexible, flocked nasal swab improving manageability of specimen collection
- Innovative flip test design with on board sample extraction
- Positive and negative control swabs included
- Differentiates between Influenza Type A and Type B
- Individual pre-measured extraction reagent capsules

ORDERING INFORMATION

PRODUCT	#OF TESTS	ITEM#
Status™ Flu A&B	25	36025
Status™ Nasal Aspirate kit (44 Pipettes, 1 Reagent)	22	510AS
Status™ Flu A&B Controls	5 sets	36022CS
Status™ A&B Nasal Swab Refills	52	36052


Status™ Covid-19 Antigen

A rapid immunoassay for the detection of SAR-CoV-2 antigens for use with nasal swab. For at home use.

- **CLIA waived**
- OTC and professional use
- FDA emergency use authorization (EUA)
- Results in 15 minutes
- Nasal swab - providing comfortable and easy collection

ORDERING INFORMATION

PRODUCT	#OF TESTS	ITEM#
Status™ Covid-19 Antigen	1	33301
Status™ Covid-19 Antigen	2	33302
Status™ Covid-19 Antigen	25	33325



INFECTIOUS DISEASE

Status™ Strep A Products

For the detection of Group A Streptococcal antigens directly from throat swabs specimens.



Status™ Strep A Flip

- **CLIA Waived**
- Sensitivity of 96.2%, Specificity of 98.7%
- Results in 5-10 minutes
- External positive and negative controls included
- Innovative flip test device with on board sample extraction
- Individual, pre-measured sample extraction capsules



Status™ Strep A Strip

- **CLIA Waived**
- Sensitivity of 96.2%
- Specificity of 98.7%
- Results in 5-10 minutes
- External positive and negative controls included

Status™ Strep A Plus

- **CLIA Waived**
- Sensitivity of 96.2%, Specificity of 98.7%
- Results in 5-10 minutes
- External positive and negative controls included
- Resealable canisters containing 25 test strips



ORDERING INFORMATION

PRODUCT	#OF TESTS	ITEM#
Status™ Strep A Flip (Cassettes)	25	34125
Status™ Strep A Strip (Pouch)	30	34130
Status™ Strep A Plus (Canister-strips)	50	34250


INFECTIOUS DISEASE

Status™ RSV

Rapid Immuno-Chromatographic assay for the qualitative detection of RSV antigen.

- **CLIA Waived**
- Rapid results in 15 minutes
- Anterior nasal swab collection

ORDERING INFORMATION		
PRODUCT	#OF TESTS	ITEM#
Status™ RSV	25	33125



Status™ Mono

For the qualitative detection of infectious Mononucleosis Heterophile antibodies in whole blood, serum or plasma.

- **CLIA Waived** for whole blood
- FDA cleared with no age restrictions
- Results in 8 minutes
- Requires only 25uL of whole blood or 10uL serum/plasma
- Sensitivity of 99% SUPERIOR
- Specificity of 98.8%
- External positive and negative controls included
- Safe pipettes for accurate sample collection



ORDERING INFORMATION		
PRODUCT	#OF TESTS	ITEM#
Status™ Mono (WB/Serum/Plasma)	25	68364
Status™ Mono (WB/Serum/Plasma)	30	84M30
Status™ Mono Control Set	2 x 1 mL	200014

GI DISORDER

Status™ H. pylori

For the qualitative detection of Anti-Helicobacter pylori antibodies in human whole blood, serum and plasma.

- **CLIA Waived** for whole blood
- Requires only 25uL of whole blood or 10uL of serum/plasma
- Results in 10 minutes
- Sensitivity of 95.9% with overall agreement to biopsy histology



ORDERING INFORMATION

PRODUCT	#OF TESTS	ITEM#
Status™ H. pylori	30	37030
Status™ H. pylori Control Set	2 x 1 mL	200013

Status™ iFOBT

Rapid immunoassay for the qualitative detection of Immunochemical Fecal Occult Blood (human hemoglobin in human fecal specimens).

- **CLIA Waived**
- No dietary or medication restrictions
- Increased patient compliance
- Results in 5 minutes
- Contains 30 test devices, 50 collection tubes, & 50 mailing envelopes



ORDERING INFORMATION

PRODUCT	#OF TESTS	ITEM#
Status™ iFOBT (Complete Kit)	30	38030 -DTM
Status™ iFOBT Sample Collection Tubes Only	50	38050 -T
Status™ iFOBT Mailing Envelopes Only	50	38050-M
Status™ iFOBT Mailers & Collection Tubes	25	38025-TM
Status™ iFOBT Device & Tubes	50	38050-DT
Status™ iFOBT Control Set	2 x 1 mL	200020

WOMEN'S HEALTH

Status™ hCG

Rapid immunoassay for the quantitative detection of Human Chorionic Gonadotropin in urine and serum.

- **CLIA Waived** for urine
- Serum and urine 25mIU/mL sensitivity
- Results in 3-5 minutes
- Minimal susceptibility to the hook effect hCG β core fragment



Status™ hCG Strip

For the detection of hCG in urine.

- **CLIA Waived** for urine
- Simple "dip and read" procedure
- 25mIU/mL sensitivity
- Results in 3-5 minutes
- Minimal susceptibility to the hook effect hCG β core fragment



ORDERING INFORMATION

PRODUCT	#OF TESTS	ITEM#
Status™ hCG Urine/Serum (Cassette)	35	35035
Status™ Urine (Cassette)	35	35135
Status™ hCG Strip	35	35235
Status™ hCG Control Set	2 x 2.5 mL	135-100A

CARDIAC CARE

LifeSign™ MI

For the rapid qualitative detection of cardiac markers in human whole blood, serum, and plasma to aid in the diagnosis of acute myocardial infarction.

- Qualitative CK-MB, Myoglobin, Troponin I
- Enables prompt detection of emergency room decisions
- Easy to use procedure
- Results in 15 minutes
- Reduces unnecessary testing and hospital admissions



ORDERING INFORMATION

PRODUCT	#OF TESTS	ITEM#
LifeSign™ MI Troponin I	20	60101
LifeSign™ MI Myoglobin (CK-MB)/Troponin I	20	60201
LifeSign™ MI Cardiac Control Kit	2 x 1 mL	LSC-301(a)

UROLOGY

Uricult®

The preferred in-office urine culture system.

- Easy to perform; Dip - Incubate - Read Results
- Results within 18-24 hours
- Positive culture can be sent to reference lab for additional studies if needed
- Supports the growth of 7 of the most common uropathogens

• Trademark of Adian Diagnostica



ORDERING INFORMATION

PRODUCT	#OF TESTS	ITEM#
Uricult® CLED/EMB	10	1000
Uricult® CLED/Polymyxin/MacConkey	10	1003



Uricult® Control Kit

Quality control for Uricult® urine culture paddles.

Each vile contains positive and negative control diluents.

ORDERING INFORMATION

PRODUCT	#OF TESTS	ITEM#
Uricult® Control Kit	2 x 99 mL	200030

Status™ BTA

A rapid test for the qualitative detection of bladder tumor associated antigens in human urine.

- **CLIA Waived**
- Indicated for use as an aid in monitoring bladder cancer patients in conjunction with cystoscopy
- Superior sensitivity & specificity providing a more accurate diagnosis
- Results in 5 minutes



ORDERING INFORMATION

PRODUCT	#OF TESTS	ITEM#
Status™ BTA	25	39025
Status™ BTA Control Kit	2 x 2 mL	200019

DRUGS OF ABUSE

Status™ DS

One step immunoassay for the qualitative detection of drugs of abuse and their metabolites in urine.

- Simple one-step procedure
- 97-99% correlation to GC/MS
- Results in as little as 5 minutes



ORDERING INFORMATION


PRODUCT	#OF TESTS	ITEM#
Status™ DS TCA	35	20935
Status™ DS Control Set	2 x 5 mL	21000
Status™ DS 10 panel MET/THC/OPI/COC/AMP/BZO/BAR/TCA/PCP/MTD	25	21025

NICOTINE

Status™ Nicotine

Rapid immunoassay for the detection of cotinine and nicotine metabolites in urine.

- Simple one-step procedure
- Accurate results with 97-99% correlation to GC/MS
- Results in 10 minutes
- 500mg/mL cut-off



ORDERING INFORMATION

PRODUCT	#OF TESTS	ITEM#
Status™ DS Nicotine	35	21735
Status™ DS Control Set	2 x 5 mL	21000

INDUSTRIAL

Hygicult®

An industrial culture system for microbial on-site sampling.

- Ready to use for on site hygiene monitoring
- Store at room temperature
- Hinged slide for convenient surface sampling
- AOAC approved
- Incubate at 36°C for 24 hours



ORDERING INFORMATION

PRODUCT	#OF TESTS	ITEM#
Hygicult™ TPC	10	68010
Hygicult™ Y&F	10	68013

Easicult®

Convenient industrial culture system identifying bacteria & fungi in oils, water, fuels and other applications.

- Ready to use on site testing
- Monitors microbial contamination
- Easy result interpretation
- Incubate at 36°C for up to 24 hours
- Option to incubate at room temperature for up to 5 days



ORDERING INFORMATION

PRODUCT	#OF TESTS	ITEM#
Easicult™ TTC	10	4030
Easicult™ Combi	10	4060

INCUBATOR

Cultura® M Incubator

Small, durable and reliable incubator. Suitable for the incubation of dip paddles.


- Lightweight and portable
- Temperature range from 25°C to 48°C
- Holds up to 18 dip paddles



ORDERING INFORMATION		
PRODUCT	#OF TESTS	ITEM#
Cultura® M Incubator	NA	05866

lifeSign

EARLY DETECTION • RAPID DIAGNOSIS • BETTER OUTCOMES



lifeSign

A PBM Group Company

85 Orchard Road • Skillman • New Jersey • 08558

800.526.2125 • 732.246.3366 • Fax: 732.246.0570

www.lifesignmed.com

LifeSign and StatusFirst® are registered trademarks of Princeton BioMeditech Corporation.
DXpress® is a registered trademark of LifeSign.
Printed in the USA. All rights reserved.